

ABOUT A STOOL / AAS39

DESIGN BY HEE WELLING & HAY



The bar stool About A Stool AAS39 has the same capacity for transformation as the other members in the series, ranging from a minimalistic plastic stool to a more full-bodied upholstered version (AAS39). The curved backrest is balanced on an elegant rounded frame in steel, showcasing a more industrial design with a strong visual presence. Suitable for using as a bar stool in bars and restaurants, as well as at home for informal meals. Available in two heights and in a range of steel finishes, colours and upholstery options.

PRODUCT DETAILS

- / Part of a multi-functional family of dining and conference chairs, office chairs, bar stools, lounge chairs, tables, an ottoman and a sofa.
- / Variability of textiles, colours and base finishes.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.
- / Available with plastic shell, with front upholstery (AAS38) and full upholstery (AAS39) in a large selection of fabrics and leathers.
- / Also available with moulded plywood legs.

HAY

MATERIAL

SHELL / Injection moulded solid-coloured polypropylene seat.
Shell thickness 10 mm.

BASE / Sled base in Ø12 mm solid steel.

FABRICS & FINISH

Available in a large selection of standard fabrics and leathers.

STANDARD FABRICS BY KVADRAT

/ Remix	/ Fiord
/ Surface by HAY	/ Hallingdal
/ Steelcut	/ Canvas
/ Steelcut Trio	/ Compound
/ Melange Nap	/ Harald
/ Divina	/ Lila
/ Divina Melange	/ Coda
/ Divina MD	/ Balder

MAHARAM FABRIC*

/ Mode

ROMO FABRICS*

/ Ruskin	/ Olavi by HAY
/ Roden	/ Linara

COSY COLLECTION*

/ Bolgheri	/ DOT 1682
/ Fairway	/ Flamiber

VELOUR FABRICS*

/ Lola	/ Ice (UK only)
--------	-----------------

STANDARD LEATHERS BY CAMO LEATHERS

/ California	/ Silk
/ Sierra	

*Only available in colours selected by HAY.

BASE FINISH



BASE FINISH / Available in 3 different base finishes.

/ Stainless steel
/ White powder coated steel (RAL 9003)
/ Black powder coated steel (RAL 9005)


CONSTRUCTION

BASE / Sled base in solid steel Ø12 mm.

DIMENSIONS


LOW

- / WIDTH 47 cm / 18.50"
- / DEPTH 45 cm / 17.72"
- / HEIGHT 76 cm / 29.92"
- / SEAT HEIGHT 64 cm / 25.20"
- / SEAT DEPTH 35 cm / 13.78"



HIGH

- / WIDTH 50 cm / 19.69"
- / DEPTH 48 cm / 18.90"
- / HEIGHT 85 cm / 33.46"
- / SEAT HEIGHT 74 cm / 29.13"
- / SEAT DEPTH 35 cm / 13.78"



GLIDERS

PLASTIC GLIDER (STANDARD ON ALL) / Suitable for most floorings which are not too sensitive.

FELT GLIDER STANDARD / For wooden floors. Black or grey.

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care- and maintenance instructions and test certificates are available at hay.com.

OPTIONS

- / Floor Linking Connection.
- / CMHR foam (fire retardant).

NOTE

For contract use we recommend stainless steel footrest.

TESTS

EN 16139:2013 / Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.1-2017 / American National Standard For Office Furnishings - General Purpose Office Chairs - Tests, Type 3.

HAY