

LIGHTING COLLECTION

WORLD SEPTEMBER 2019
REC. RETAIL PRICELIST IN
EURO EXCL. VAT

Subject to increases in prices and printing errors


HAY




CONTENT

30 DEGREES WITH CORD SET / L / PENDANT	31	PC PENDANT / M	13
30 DEGREES WITH CORD SET / M / PENDANT	30	PC PENDANT / S	12
30 DEGREES WITH CORD SET / S / PENDANT	29	PC PORTABLE	3
30 DEGREES WITH CORD SET / XL / PENDANT	32	PC SINGLE ARM W. CLAMP	6
BONBON SHADE / L	36	PC SINGLE ARM W. WALL BRACKET	7
BONBON SHADE / M	35	PC TABLE LAMP / L	5
CLOCHE	28	PC TABLE LAMP / S	4
CORD SET	67	ROPE TRICK	23
CORD SET TABLE	68	SINKER / L / PENDANT	34
FIFTY-FIFTY FLOOR LAMP	19	SINKER / S / PENDANT	33
FIFTY-FIFTY MINI	20	TURN ON	27
FIFTY-FIFTY TABLE LAMP	18	USB CHARGING STATION FOR PC PORTABLE	15
MARSELIS FLOOR LAMP	22		
MARSELIS TABLE LAMP	21		
MATIN TABLE LAMP / L	17		
MATIN TABLE LAMP / S	16		
NELSON APPLE BUBBLE PENDANT / M	58		
NELSON BALL BUBBLE PENDANT / L	39		
NELSON BALL BUBBLE PENDANT / M	38		
NELSON BALL BUBBLE PENDANT / S	37		
NELSON BALL CRISSCROSS BUBBLE PENDANT / M	51		
NELSON BALL CRISSCROSS BUBBLE PENDANT / S	50		
NELSON BALL WALL SCONCE CABLED / S	62		
NELSON BELL BUBBLE PENDANT / XL	59		
NELSON CIGAR BUBBLE PENDANT / L	42		
NELSON CIGAR BUBBLE PENDANT / M	41		
NELSON CIGAR BUBBLE PENDANT / S	40		
NELSON CIGAR BUBBLE PENDANT / XL	43		
NELSON CIGAR CRISSCROSS BUBBLE PENDANT / M	53		
NELSON CIGAR CRISSCROSS BUBBLE PENDANT / S	52		
NELSON CIGAR WALL SCONCE CABLED / S	63		
NELSON FIXTURE FOR TRIPLE BUBBLE LAMP	66		
NELSON LANTERN BUBBLE PENDANT / S	61		
NELSON PEAR BUBBLE PENDANT / M	57		
NELSON PEAR BUBBLE PENDANT / S	56		
NELSON PEAR CRISSCROSS BUBBLE PENDANT / M	55		
NELSON PEAR CRISSCROSS BUBBLE PENDANT / S	54		
NELSON PEAR WALL SCONCE CABLED / S	65		
NELSON PROPELLER BUBBLE PENDANT / M	60		
NELSON SAUCER BUBBLE PENDANT / L	46		
NELSON SAUCER BUBBLE PENDANT / M	45		
NELSON SAUCER BUBBLE PENDANT / S	44		
NELSON SAUCER BUBBLE PENDANT / XL	47		
NELSON SAUCER CRISSCROSS BUBBLE PENDANT / M	49		
NELSON SAUCER CRISSCROSS BUBBLE PENDANT / S	48		
NELSON SAUCER WALL SCONCE CABLED / S	64		
NOC CLIP	24		
NOC WALL	25		
NOC WALL BUTTON	26		
PC DOUBLE ARM W. CLAMP	9		
PC DOUBLE ARM W. TABLE BASE	11		
PC DOUBLE ARM W. TABLE INSERT	10		
PC DOUBLE ARM W. WALL BRACKET	8		
PC PENDANT / L	14		

PC PORTABLE

DESIGN Pierre Charpin
SIZE W14 x D14 x H22 cm
 W5.51" x D5.51" x H8.66"
DETAILS Body in injection moulded ABS, with a translucent PP diffuser. Shade in injection moulded opaque ABS for Soft Black and Olive lamp, translucent PP for Cream White. Lamp is charged with the supplied micro USB Cable. Charging station for up to 24. pcs. available for purchase.
LIGHT SOURCE LED G4, 3.5W. 3.6V. 220LM. 3000K Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 43
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104312009000	Olive ABS	 5 710441 267881	57,02
4104311009000	Soft black ABS	 5 710441 267874	57,02
4104313009000	Cream white ABS	 5 710441 267898	57,02

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W15 x D15 x H26,5 cm / 0,65 kg
PRODUCT STATUS Stock Item

PC TABLE LAMP / S

DESIGN Pierre Charpin
SIZE W25 x D25 x H33 cm
 W9.84" x D9.84" x H12.99"
DETAILS Shade in anodised spun Aluminium. Base in anodised extruded aluminium with a cast iron internal weight. Diffuser in injection moulded translucent polycarbonate. Cable in black for all variants. Recommended light source: Dimmable LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104211109000	Anodised aluminium	 5 710441 263777	177,69
4104211009000	Soft black anodised aluminium	 5 710441 263760	177,69

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W16.5 x D16.5 x H23.5 cm / 1.3 kg
PRODUCT STATUS Stock Item 1 pcs. / W31.5 x D31.5 x H20 cm / 1 kg

PC TABLE LAMP / L

DESIGN Pierre Charpin
SIZE W40 x D40 x H50 cm
 W15.75" x D15.75" x H19.69"
DETAILS Shade in anodised spun Aluminium. Base in anodised extruded aluminium with a cast iron internal weight. Diffuser in injection moulded translucent polycarbonate. Cable in black for all variants. Recommended light source: Dimmable LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104251009000	Soft black anodised aluminium	 5 710441 263807	235,54
4104251109000	Anodised aluminium	 5 710441 263814	235,54

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W34.5 x D22.5 x H22.5 cm / 3 kg
PRODUCT STATUS	Stock Item		1 pcs. / W46.5 x D46.5 x H26 cm / 2.2 kg

PC SINGLE ARM W. CLAMP

DESIGN Pierre Charpin
SIZE W14 x D9 x H62,7 cm
 W5.51" x D3.54" x H24.69"
DETAILS Extruded aluminium arm with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W .407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190911109000	Ash grey powder coated aluminium	 5 710441 258810	185,95
4190911009000	Soft black powder coated aluminium	 5 710441 258803	185,95

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W16 x D8 x H7.5 cm / 1 kg
PRODUCT STATUS	Stock Item		1 pcs. / W55 x D18.5 x H11.5 cm / 1.5 kg

PC SINGLE ARM W. WALL BRACKET

DESIGN Pierre Charpin
SIZE W14 x D9 x H61 cm
 W5.51" x D3.54" x H24.02"
DETAILS Extruded aluminium arm with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W .407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190921009000	Soft black powder coated aluminium	 5 710441 258827	172,73
4190921109000	Ash grey powder coated aluminium	 5 710441 258834	172,73

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W9 x D8.5 x H6 cm / 0.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W55 x D18.5 x H11.5 cm / 1.5 kg

PC DOUBLE ARM W. WALL BRACKET

DESIGN Pierre Charpin
SIZE W14 x D55 x H45 cm
 W5.51" x D21.65" x H17.72"
DETAILS Extruded aluminium arms with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190941009000	Soft black powder coated aluminium	 5 710441 279143	194,21
4190941109000	Ash grey powder coated aluminium	 5 710441 279150	194,21

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W48 x D48 x H10 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W9 x D8.5 x H6 cm / 0.5 kg

PC DOUBLE ARM W. CLAMP

DESIGN Pierre Charpin
SIZE W14 x D55 x H60,5 cm
 W5.51" x D21.65" x H23.82"
DETAILS Extruded aluminium arms with die cast aluminium joints. Grey shade in spun aluminium. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190961009000	Soft black powder coated aluminium	 5 710441 279167	205,79
4190961109000	Ash grey powder coated aluminium	 5 710441 279174	205,79

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W16 x D8 x H7.5 cm / 1 kg
PRODUCT STATUS	Stock Item		1 pcs. / W48 x D48 x H10 cm / 2 kg

PC DOUBLE ARM W. TABLE INSERT

DESIGN Pierre Charpin
SIZE W14 x D55 x H42,5 cm
 W5.51" x D21.65" x H16.73"
DETAILS Extruded aluminium arms with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190981009000	Soft black powder coated aluminium	 5 710441 279181	194,21
4190981109000	Ash grey powder coated aluminium	 5 710441 279198	194,21

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W15 x D8.5 x H7.5 cm / 0.22 kg
PRODUCT STATUS Stock Item 1 pcs. / W48 x D48 x H10 cm / 2 kg

PC DOUBLE ARM W. TABLE BASE

DESIGN Pierre Charpin
SIZE W14 x D55 x H42 cm
 W5.51" x D21.65" x H16.54"
DETAILS Extruded aluminium arms with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.








ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104491009000	Soft black powder coated aluminium	 5 710441 263920	205,79
4104491209000	Leaf green powder coated aluminium	 5 710441 263944	205,79
4104491109000	Ash grey powder coated aluminium	 5 710441 263937	205,79

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H8 cm / 3.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W48 x D48 x H10 cm / 2 kg

PC PENDANT / S

DESIGN Pierre Charpin
SIZE W25 x D25 x H14,5 cm
 W9.84" x D9.84" x H5.71"
DETAILS Shade in anodised spun aluminium. Diffuser in injection moulded translucent polycarbonate. Cable in braided fabric with a PVC insulation. Cable is black for all variants. Recommended light source for S: 3 x LED G9 3-5W, 300-600lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White. For L: 3 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104111309000	Blush red anodised aluminium	 5 710441 263692	118,18
4104111209000	Emerald green anodised aluminium	 5 710441 263685	118,18
4104111109000	Anodised aluminium	 5 710441 263678	118,18
4104111009000	Soft black anodised aluminium	 5 710441 263661	118,18

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W31,5 x D31,5 x H20 cm / 1,30 kg
PRODUCT STATUS Stock Item

PC PENDANT / M

DESIGN Pierre Charpin
SIZE W40 x D40 x H20,5 cm
 W15.75" x D15.75" x H8.07"
DETAILS Shade in anodised spun aluminium. Diffuser in injection moulded translucent polycarbonate. Cable in braided fabric with a PVC insulation. Cable is black for all variants. Recommended light source for S: 3 x LED G9 3-5W, 300-600lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White. For L: 3 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104131209000	Emerald green anodised aluminium	 5 710441 263722	202,48
4104131109000	Anodised aluminium	 5 710441 263715	202,48
4104131009000	Soft black anodised aluminium	 5 710441 263708	202,48

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W46,5 x D46,5 x H26 cm / 1,50 kg
PRODUCT STATUS Stock Item

PC PENDANT / L

DESIGN Pierre Charpin
SIZE W60 x D60 x H28 cm
 W23.62" x D23.62" x H11.02"
DETAILS Shade in anodised spun aluminium. Diffuser in injection moulded translucent polycarbonate. Cable in braided fabric with a PVC insulation. Cable is black for all variants. Recommended light source for S: 3 x LED G9 3-5W, 300-600lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White. For L: 3 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4104151009000	Soft black anodised aluminium	 5 710441 263746	318,18
4104151109000	Anodised aluminium	 5 710441 263753	318,18

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W62 x D62 x H45 cm / 5,50 kg
PRODUCT STATUS Stock Item

USB CHARGING STATION FOR PC PORTABLE

SIZE L23,5 x W6 x H14 cm
L9.25" x W2.36" x H5.51"

DETAILS Fabricated sheet steel case with a powder coated finish in black, the USB charging station can charge 24 independent USB powered devices simultaneously.



SALES QTY. 1 pcs.


ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
410439	Black powder coated steel	 5 710441 274841	118,18

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W25,5 x D20 x H7 cm / 1,80 kg

PRODUCT STATUS Stock Item

MATIN TABLE LAMP / S

DESIGN Inga Sempé
SIZE W30 x D30 x H38 cm
 W11.81" x D11.81" x H14.96"
DETAILS Lamp shade in cotton fabric laminated to a PVC sheet. Lamp base in bent steel wire with a polished brass finish, precision cast steel counter weight with black injection moulded ABS hardware. Digital inline dimmer switch and cable are black for all colour variants.
LIGHT SOURCE INTEGRATED LED, 5W. 150LM. 2800K. Warm white
DIMMABLE Yes
SWITCH INLINE STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4191211009000	White cotton shade, polished brass base	 5 710441 266129	142,15
4191212009000	Bright red cotton shade, polished brass base	 5 710441 266136	142,15
4191213009000	Yellow cotton shade, polished brass base	 5 710441 266143	142,15
4191214009000	Green cotton shade, polished brass base	 5 710441 266150	142,15
4191215009000	Lavender cotton shade, polished brass base	 5 710441 275794	142,15
4191216009000	Oxide red cotton shade, polished brass base	 5 710441 275800	142,15

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W7.3 x D7.3 x H1.8 cm / 0.17 kg
PRODUCT STATUS Stock Item 1 pcs. / W42 x D23.5 x H6.5 cm / 1 kg

MATIN TABLE LAMP / L

DESIGN Inga Sempé
SIZE W38 x D38 x H52 cm
 W14.96" x D14.96" x H20.47"
DETAILS Lamp shade in cotton fabric laminated to a PVC sheet. Lamp base in bent steel wire with a polished brass finish, precision cast steel counter weight with black injection moulded ABS hardware. Digital inline dimmer switch and cable are black for all colour variants.
LIGHT SOURCE INTEGRATED LED, 5W. 150LM. 2800K. Warm white
DIMMABLE Yes
SWITCH INLINE STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4191232009000	Bright red cotton shade, polished brass base	 5 710441 266174	177,69
4191231009000	White cotton shade, polished brass base	 5 710441 266167	177,69
4191233009000	Yellow cotton shade, polished brass base	 5 710441 266181	177,69
4191234009000	Green cotton shade, polished brass base	 5 710441 266198	177,69
4191235009000	Lavender cotton shade, polished brass base	 5 710441 275855	177,69
4191236009000	Oxide red cotton shade, polished brass base	 5 710441 275862	177,69

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W22.5 x D7.2 x H7.2 cm / 0.17 kg
PRODUCT STATUS Stock Item 1 pcs. / W55.4 x D24 x H6.5 cm / 1.1 kg

FIFTY-FIFTY TABLE LAMP

DESIGN Sam Weller
SIZE W18,5 x D90 x H60 cm
 W7.28" x D35.43" x H23.62"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE INTEGRATED LED, 4W. 360LM. 3000K. Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4102111009000	Soft black powder coated aluminium	 5 710441 243090	235,54
4102112009000	Ash grey powder coated aluminium	 5 710441 243106	235,54

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W99.5 x D17 x H6 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W25.5 x D24 x H5 cm / 3 kg

FIFTY-FIFTY FLOOR LAMP

DESIGN Sam Weller
SIZE W25 x D90 x H135 cm
 W9.84" x D35.43" x H53.15"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE INTEGRATED LED, 4W. 360LM. 3000K. Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4102132009000	Ash grey powder coated aluminium	 5 710441 243120	412,40
4102131009000	Soft black powder coated aluminium	 5 710441 243113	412,40

PACKAGING	PRODUCT STATUS	BOX DIMENSIONS AND WEIGHT
3 box / 1 pcs.	Stock Item	1 pcs. / W99.5 x D17 x H6 cm / 2 kg 1 pcs. / W31.5 x D30 x H7 cm / 3.5 kg 1 pcs. / W78 x D6.5 x H6.5 cm / 1.2 kg

FIFTY-FIFTY MINI

DESIGN Sam Weller
SIZE W16,5 x D65 x H45 cm
 W6.5" x D25.59" x H17.72"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE INTEGRATED LED, 4W. 360LM. 3000K. Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4102171009000	Soft black powder coated aluminium	 5 710441 248354	214,05
4102172009000	Ash grey powder coated aluminium	 5 710441 248361	214,05

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W75.5 x D17 x H6 cm / 1.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W25.5 x D24 x H5 cm / 2.5 kg

MARSELIS TABLE LAMP

DESIGN Kaschkasch
SIZE W10 x D20 x H38 cm
 W3.94" x D7.87" x H14.96"
DETAILS Wet spray aluminium, moulded PMMA,
 moulded Polycarbonate, sand cast iron,
 powder coated steel, EVA foam pad,
 integrated LED strip.
LIGHT SOURCE INTEGRATED LED, 4W. 213LM. 2700K. Warm
 white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
419112009000	Ash grey powder coated aluminium	 5 710441 261308	142,15
419113009000	Khaki green powder coated aluminium	 5 710441 261315	142,15
419111009000	Soft black powder coated aluminium	 5 710441 261292	142,15

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W44,5 x D19 x H15 cm / 2,00 kg
PRODUCT STATUS Stock Item

MARSELIS FLOOR LAMP

DESIGN Kaschkasch
SIZE W17,5 x D21,2 x H126 cm
 W6.89" x D8.35" x H49.61"
DETAILS Wet spray aluminium, moulded PMMA,
 moulded Polycarbonate, sand cast iron,
 powder coated steel, EVA foam pad,
 integrated LED strip.
LIGHT SOURCE INTEGRATED LED, 4W. 213LM. 2700K. Warm
 white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4191131009000	Soft black powder coated aluminium	 5 710441 261322	214,05
4191132009000	Ash grey powder coated aluminium	 5 710441 261339	214,05

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W133 x D25 x H25 cm / 5,00 kg
PRODUCT STATUS Stock Item

ROPE TRICK

DESIGN Stefan Diez
SIZE W18 x D33 x H170 cm
 W7.09" x D12.99" x H66.93"
DETAILS Woven PET, aluminium, acrylic, polypropylene and ABS. Integrated LED module.
LIGHT SOURCE INTEGRATED LED, 10W. 410LM. 3000K. Warm white
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 250 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004411009000	Black acrylic shade, black iron and ABS base, black woven PET	 5 710441 027157	412,40
4004411509000	Black acrylic shade, black iron and ABS base, beige woven PET	 5 710441 027164	412,40
4004412509000	Black acrylic shade, black iron and ABS base, yellow woven PET	 5 710441 027171	412,40

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W170 x D47 x H29 cm / 11,50 kg
PRODUCT STATUS Stock Item

NOC CLIP

DESIGN SmithMatthias
SIZE W10 x D14 x H22 cm
 W3.94" x D5.51" x H8.66"
DETAILS Powder coated aluminium clip light. LED bulb included.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm white
DIMMABLE No
SWITCH INLINE SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004511009000	Off white powder coated aluminium	 5 710441 023616	118,18
4004511509000	Dark grey powder coated aluminium	 5 710441 023623	118,18

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H26 cm / 1,50 kg
PRODUCT STATUS Stock Item

NOC WALL

DESIGN SmithMatthias
SIZE W11 x D22 x H14 cm
 W4.33" x D8.66" x H5.51"
DETAILS Lamp stem and base in machined aluminium.
 Lamp shade in die cast aluminium. Black silicone cable for dark grey and white silicone cable for the off white version.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm white
DIMMABLE No
SWITCH INLINE SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004521009000	Off white powder coated aluminium	 5 710441 178446	118,18
4004521109000	Dark grey powder coated aluminium	 5 710441 178453	118,18

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H26 cm / 1,40 kg
PRODUCT STATUS Stock Item

NOC WALL BUTTON

DESIGN SmithMatthias
SIZE W11,8 x D22 x H14 cm
 W4.65" x D8.66" x H5.51"
DETAILS Lamp stem and base in machined aluminium.
 Lamp shade in die cast aluminium. Black silicone cable for dark grey and white silicone cable for the off white version. Features a simple push button switch.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm white
DIMMABLE No
SWITCH INTEGRATED SWITCH
IP 20
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004501009000	Off white powder coated aluminium	 5 710441 241270	118,18
4004501109000	Dark grey powder coated aluminium	 5 710441 241287	118,18

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W26 x D23 x H13 cm / 1,30 kg
PRODUCT STATUS Stock Item

TURN ON

DESIGN Joel Hoff
SIZE Ø10 x H19,5 cm
 Ø3.94" x H7.68"
DETAILS Opal glass shade and anodized aluminium base. LED bulb included.
LIGHT SOURCE INTEGRATED LED, 4.5W. 250LM. 2700K. Warm white
DIMMABLE Yes
SWITCH ROTARY LAMP BODY DIMMER SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004531309000	Blown opal glass shade, green anodized aluminium base	 5 710441 037811	106,61
4004531209000	Blown opal glass shade, orange anodized aluminium base	 5 710441 037804	106,61
4004531009000	Blown opal glass shade, black anodized aluminium base	 5 710441 037781	106,61
4004531109000	Blown opal glass shade, aluminium anodized aluminium base	 5 710441 037798	106,61

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W18 x D24,5 x H13 cm / 1,20 kg
PRODUCT STATUS Stock Item

CLOCHE

DESIGN Lars Beller Fjetland
SIZE W26 x D46 x H43 cm
 W10.24" x D18.11" x H16.93"
DETAILS Table lamp in steel shade and cast iron base.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm white
DIMMABLE No
SWITCH INLINE SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004562009000	Black powder coated steel shade, black cast iron and aluminium base	 5 710441 029984	202,48
4004564009000	Polished brass shade, black cast iron and aluminium base	 5 710441 036784	202,48

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W70 x D36 x H37,5 cm / 8,00 kg
PRODUCT STATUS Stock Item

30 DEGREES WITH CORD SET / S / PENDANT

DESIGN Johan Van Hengel
SIZE Ø24 x H17 cm
 Ø9.45" x H6.69"
DETAILS Veneered oak pendant shade with textile cord set. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.,
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190131009000	Matt lacquered oak veneer shade, black cord set		100,83

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W27 x D27 x H19 cm / 0.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

30 DEGREES WITH CORD SET / M / PENDANT

DESIGN Johan Van Hengel
SIZE Ø33,5 x H25 cm
 Ø13.19" x H9.84"
DETAILS Veneered oak pendant shade with textile cord set. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.,
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190331009000	Matt lacquered oak veneer shade, black cord set		123,14



PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W35 x D35 x H27 cm / 1.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

30 DEGREES WITH CORD SET / L / PENDANT

DESIGN Johan Van Hengel
SIZE Ø45 x H35 cm
 Ø17.72" x H13.78"
DETAILS Veneered oak pendant shade with textile cord set. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.,
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190391009000	Matt lacquered oak veneer shade, black cord set		202,48

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W46 x D46 x H38 cm / 2 kg
PRODUCT STATUS Stock Item 1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

30 DEGREES WITH CORD SET / XL / PENDANT

DESIGN Johan Van Hengel
SIZE Ø61,5 x H50 cm
 Ø24.21" x H19.69"
DETAILS Veneered oak pendant shade with textile cord set. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.,
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.








ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4190451009000	Matt lacquered oak veneer shade, black cord set		243,80

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W63 x D63 x H53 cm / 3.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

SINKER / S / PENDANT

DESIGN HAY
SIZE Ø23 x H19 cm
 Ø9.06" x H7.48"
DETAILS Shade in textured ABS with acrylic diffuser and textile cord.
LIGHT SOURCE LED E27 (A19), 10.5W. 810LM. 2800K. Warm white
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.








ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004752509000	Oxide red moulded acrylic	 5 710441 206538	153,72
4004752009000	Cream white moulded acrylic	 5 710441 036548	153,72
4004751009000	Soft black moulded acrylic	 5 710441 030959	153,72
4004751509000	Dusty grey moulded acrylic	 5 710441 030966	153,72

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W31 x D30 x H29 cm / 2,00 kg
PRODUCT STATUS Stock Item

SINKER / L / PENDANT

DESIGN HAY
SIZE Ø37,5 x H35 cm
 Ø14.76" x H13.78"
DETAILS Shade in textured ABS with acrylic diffuser and textile cord.
LIGHT SOURCE LED E27 (A19), 13W. 1055LM. 2800K. Warm white
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
4004761009000	Soft black moulded acrylic	 5 710441 030973	189,26
4004762509000	Oxide red moulded acrylic	 5 710441 206545	189,26
4004761509000	Dusty grey moulded acrylic	 5 710441 030980	189,26
4004762009000	Cream white moulded acrylic	 5 710441 036708	189,26

PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W44 x D42,5 x H40,5 cm / 4,00 kg

BONBON SHADE / M

DESIGN Ana Kraš
SIZE W32 x D32 x H38 cm
 W12.6" x D12.6" x H14.96"
DETAILS Powder coated steel frame. Exterior yarn is 80% wool and 20% nylon mix. Black cord sets are sold separately. Table cord set features an in-line rocker switch. Recommended light source for M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A21 or G30) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
---------	--------	----------	---------------

936211	Yellow melange wool		
--------	---------------------	--	--



			412,40
--	--	--	--------


PACKAGING	1 box / 1 pcs.
PRODUCT STATUS	Stock Item

BOX DIMENSIONS AND WEIGHT

1 pcs. / W34 x D34 x H40 cm / 1,40 kg

BONBON SHADE / L

DESIGN Ana Kraš
SIZE W50 x D50 x H46 cm
 W19.69" x D19.69" x H18.11"
DETAILS Powder coated steel frame. Exterior yarn is 80% wool and 20% nylon mix. Black cord sets are sold separately. Table cord set features an in-line rocker switch. Recommended light source for M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A21 or G30) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
---------	--------	----------	---------------


936213	Earth tones wool		533,06
--------	------------------	--	--------



PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W53 x D53 x H48 cm / 2,60 kg
PRODUCT STATUS	Stock Item		

NELSON BALL BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø32,5 x H30,5 cm
 Ø12.8" x H12.01"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936311	Off white webbing polymer	 5 710441 274933	409,09

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,30 kg
PRODUCT STATUS Stock Item

NELSON BALL BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø48,5 x H39,5 cm
 Ø19.09" x H15.55"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936314	Off white webbing polymer	 5 710441 274940	477,69

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON BALL BUBBLE PENDANT / L

DESIGN George Nelson
SIZE Ø68 x H59,5 cm
 Ø26.77" x H23.43"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936317	Off white webbing polymer	 5 710441 274957	626,45

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W75 x D75 x H67 cm / 4,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø26,5 x H35,5 cm
 Ø10.43" x H13.98"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936320	Off white webbing polymer	 5 710441 274964	409,09

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø33 x H53 cm
 Ø12.99" x H20.87"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936323	Off white webbing polymer	 5 710441 274971	477,69

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H62 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / L

DESIGN George Nelson
SIZE Ø38 x H84 cm
 Ø14.96" x H33.07"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936326	Off white webbing polymer	 5 710441 274988	626,45

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H91 cm / 4,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / XL

DESIGN George Nelson
SIZE Ø47,5 x H127 cm
 Ø18.7" x H50"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 274 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936327	Off white webbing polymer	 5 710441 280125	1.885,95

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W61,5 x D61,5 x H140 cm / 16,36 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø44,5 x H18 cm
 Ø17.52" x H7.09"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936335	Off white webbing polymer	 5 710441 275015	409,09

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H25,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø63,5 x H25,5 cm
 Ø25" x H10.04"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936338	Off white webbing polymer	 5 710441 275022	477,69

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H34 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / L

DESIGN George Nelson
SIZE Ø89 x H35,5 cm
 Ø35.04" x H13.98"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936341	Off white webbing polymer	 5 710441 275039	632,23

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W73,5 x D73,5 x H34 cm / 7,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / XL

DESIGN George Nelson
SIZE Ø127 x H56 cm
 Ø50" x H22.05"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 274 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936344	Off white webbing polymer	 5 710441 275046	1.885,95

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W140 x D140 x H61,5 cm / 16,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø44,5 x H19 cm
 Ø17.52" x H7.48"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936365	Off white webbing polymer	 5 710441 275114	446,28

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H25,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON SAUCER CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø63,5 x H24 cm
 Ø25" x H9.45"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936368	Off white webbing polymer	 5 710441 275121	514,88

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W73,5 x D73,5 x H34 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON BALL CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø32,5 x H30,5 cm
 Ø12.8" x H12.01"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936347	Off white webbing polymer	 5 710441 275053	446,28

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON BALL CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø48,5 x H39,5 cm
 Ø19.09" x H15.55"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936350	Off white webbing polymer	 5 710441 275060	552,07

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON CIGAR CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø26,5 x H35,5 cm
 Ø10.43" x H13.98"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936353	Off white webbing polymer	 5 710441 275077	446,28

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H62,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø33 x H53,5 cm
 Ø12.99" x H21.06"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936356	Off white webbing polymer	 5 710441 275084	552,07

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H62 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON PEAR CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø33 x H32 cm
 Ø12.99" x H12.6"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936359	Off white webbing polymer	 5 710441 275091	494,21

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON PEAR CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø43 x H48,5 cm
 Ø16.93" x H19.09"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936362	Off white webbing polymer	 5 710441 275107	595,04

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H56 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON PEAR BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø33 x H32 cm
 Ø12.99" x H12.6"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936329	Off white webbing polymer	 5 710441 274995	443,80

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON PEAR BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø43 x H48 cm
 Ø16.93" x H18.9"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936332	Off white webbing polymer	 5 710441 275008	525,62

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H56 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON APPLE BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø53,5 x H37 cm
 Ø21.06" x H14.57"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
---------	--------	----------	---------------


936371	Off white webbing polymer		477,69
--------	---------------------------	--	--------



PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W57,5 x D57,5 x H45,5 cm / 4,50 kg
PRODUCT STATUS	Stock Item		

NELSON BELL BUBBLE PENDANT / XL

DESIGN George Nelson
SIZE Ø106,5 x H73,5 cm
 Ø41.93" x H28.94"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A21 or G30) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 274 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936374	Off white webbing polymer	 5 710441 275145	1.885,95

PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W114,5 x D114,5 x H78 cm / 11,00 kg

NELSON PROPELLER BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø52 x H38 cm
 Ø20.47" x H14.96"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936380	Off white webbing polymer	 5 710441 275169	520,66

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON LANTERN BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø28 x H26,5 cm
 Ø11.02" x H10.43"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
---------	--------	----------	---------------


936377	Off white webbing polymer		403,31
--------	---------------------------	--	--------



PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS	Stock Item		

NELSON BALL WALL SCONCE CABLED / S

DESIGN George Nelson
SIZE W32,5 x D53,5 x H42,5 cm
 W12.8" x D21.06" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936383	Off white webbing polymer	 5 710441 275176	548,76


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W40,6 x D43,2 x H40,6 cm / 3,60 kg

NELSON CIGAR WALL SCONCE CABLED / S

DESIGN George Nelson
SIZE W26,5 x D50,5 x H42,5 cm
 W10.43" x D19.88" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936386	Off white webbing polymer	 5 710441 275183	548,76


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item


BOX DIMENSIONS AND WEIGHT 1 pcs. / W25,4 x D48,3 x H48,3 cm / 3,60 kg

NELSON SAUCER WALL SCONCE CABLED

/ S

DESIGN George Nelson
SIZE W44,5 x D59 x H42,5 cm
 W17.52" x D23.23" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936392	Off white webbing polymer	 5 710441 275206	548,76


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W25,4 x D48,3 x H48,3 cm / 3,60 kg

NELSON PEAR WALL SCONCE CABLED / S

DESIGN George Nelson
SIZE W33 x D53 x H42,5 cm
 W12.99" x D20.87" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE No
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936389	Off white webbing polymer	 5 710441 275190	617,36

PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W40,6 x D43,2 x H40,6 cm / 3,60 kg

NELSON FIXTURE FOR TRIPLE BUBBLE LAMP

DESIGN George Nelson
SIZE W36,8 x D36,8 cm
 W14.49" x D14.49"
DETAILS Ceiling Rose in brushed nickel-plated steel measuring 13,33 cm. Balls in walnut. Rods in metal. Distance between metal rods and walnut balls is 36,83 cm. Pendants should not exceed 48,25 diameters. Holds 3 small Bubble Pendants.
LIGHT SOURCE NOT INCLUDED
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
936395	Walnut and metal rods	 5 710441 275213	308,26

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W42 x D44,5 x H7,5 cm / 1,00 kg
PRODUCT STATUS Stock Item

CORD SET

DESIGN	HAY
SIZE	Ø10 x L400 cm Ø3.94" x L157.48"
DETAILS	Ceiling mounted textile cord set. Compatible with Bonbon shades, 30 Degrees shades and Rice Paper shades. Recommended light source LED E27 max. 15.
LIGHT SOURCE	NOT INCLUDED
DIMMABLE	No
SWITCH	No
IP	20
CORD LENGTH	400 cm
SUPPLY	220-240V
SALES QTY.	1 pcs.




ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
418981	Black textured ABS	 5 710441 258575	28,93

PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W12,5 x D12,6 x H14,5 cm / 0,50 kg
PRODUCT STATUS	Stock Item		

CORD SET TABLE

SIZE	Ø10 x L240 cm Ø3.94" x L94.49"
DETAILS	Suitable for Bonbon Table Lamp. Features an in-line rocker switch. Recommended light source LED E27 max. 15.
LIGHT SOURCE	NOT INCLUDED
DIMMABLE	No
SWITCH	INLINE SWITCH
IP	20
CORD LENGTH	240 cm
SUPPLY	220-240V
SALES QTY.	1 pcs.



ITEM NO	FINISH	EAN CODE	EUR EXCL. VAT
418982	Black textured ABS	 5 710441 274131	28,93

PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W7,5 x D7,5 x H33 cm / 0,50 kg
PRODUCT STATUS	Stock Item		

REFERENCE MATERIAL / LIGHTING

THE LED BULB



Incandescents are banned within EU CFL's will be phased out shortly (contains Mercury, a banned heavy metal)

Halogens are far less efficient than LED's, and are very hot, posing safety issues.

Quality and colour of light has improved in recent years

Energy efficiency is improving quickly (ie. Lumens per Watt value is improving)

Technology is developing quickly (ie. flexibility, more colour tones, intelligent lamps etc.)

Price is rapidly decreasing.

Average life span of 25,000 hours, that is roughly 8-10 years of reasonable use, before the efficiency decreases by more than 30% (NOT fails)

CE MARKING



The CE mark signifies that a product conforms to the requirements of relevant EEC directives.

The prime purpose of the mark is to show that the product is safe to the customer facilitating the free trading and movement of products within the EEC.

ELECTROMAGNETIC COMPATIBILITY DIRECTIVE (EMC)



The ElectroMagnetic Compatibility directive requires that the product are designed and operate so that they meet limits of electrical and magnetic interference by emission and conduction with other electrical devices.

WEEE DIRECTIVE



Waste electrical and electronic equipment (WEEE) defines requirements and responsibilities for the management of waste lighting equipment within the European Union. This places responsibility for managing waste on the producer, reseller (in cases of re-branded product) or importer of the product.

ROHS DIRECTIVE



The restriction of the use of certain hazardous substances in electrical and electronic equipment within the European Union. However certain exemptions exist including mercury in lamps, lead in the glass of fluorescent tubes and nickel cadmium in batteries for emergency lighting products.

REFERENCE MATERIAL / LIGHTING

INGRESS PROTECTION (IP) RATING

Connectors may be susceptible to ingress of foreign materials such as moisture or dust, particular in the unmated condition. The first digit defines the protection against the ingress of dust, the second digit defines the protection against the ingress of water. The table below shows IP ratings for electrical connectors.

IP67

FIRST DIGIT	SECOND DIGIT	
0	No Protection against contact and ingress of objects	
1	Protected against any large surface of the body, such as the back of a hand. Protected against solid objects greater than 50mm in size.	
2	Protected against access to hazardous parts by a finger or similar object. Protected against solid objects greater than 12.5mm in size.	
3	Protected against access to hazardous parts with a tool or thick wire. Protected against solid objects greater than 2.5mm in size.	
4	Protected against access to hazardous parts with a wire, screw, etc. Protected against solid objects greater than 1mm in size.	
5	Protected against access to hazardous parts. Dust protected.	
6	Protected against access to hazardous parts. Dust-tight.	
	0	No Protection
	1	Protected against water drops
	2	Protected against water drops at a 15 degree angle
	3	Protected against water spray at 60 degree angle
	4	Protected against water splashing from any angle
	5	Protected against water jets from any angle
	6	Protected against powerful water jets and heavy seas
	7	Protected against the effects of temporary submersion in water. Test requires 30 minutes at 1 meter depth.
	8	Protected against the effects of temporary submersion. Customer specification applies and specific testing may be required.
	9K	Protects against high pressures associated with steam cleaning.

INGRESS PROTECTION (IP) WET ZONES

